



SIRIM QAS INTERNATIONAL SDN. BHD. (410334-X)

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 60-3-5544 6400 Faks : 60-3-5544 6797 www.sirim-qas.com.my

File No : P5-008359
Licence No : PC003071

Date : 25/07/2022

LESSO MALAYSIA INDUSTRIES SDN. BHD.
LOT 10072, PERSIARAN MAHOGANI UTAMA 2
SEKSYEN 4, BANDAR UTAMA BATANG KALI
44300 BATANG KALI
SELANGOR, MALAYSIA

Attn : MR. AHMAD FAIZ ABDUL SABIAN

Tel No : 03-60686888

Fax No : 03-60570680

Dear Sir/Madam,

Product Certification Licence

Product : GULLIES FOR BUILDING
Standard : BS EN 1253-1 : 2003

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : WAHEEDIR BIN YAHAYA
Contact No : 603-55445895
Email : waheedir@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

LESSO MALAYSIA INDUSTRIES SDN. BHD.
LOT 10072, PERSIARAN MAHOGANI UTAMA 2
SEKSYEN 4, BANDAR UTAMA BATANG KALI
44300 BATANG KALI
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

GULLIES FOR BUILDING

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

BS EN 1253-1 : 2003



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

LESSO MALAYSIA INDUSTRIES SDN. BHD.



Trade Mark : PALING
Model : FLOOR GULLY WITH TRAP AND INSPECTION OPENING
Rating : LOADING STRENGTH : K 3
Type : FLOOR GULLY WITH SIDE INLET, TYPE II
Size : NOMINAL SIZE (DN/ID) : 82mm

Trade Mark : PALING
Model : TOP REMOVABLE TRAPPED FLOOR GULLY
Rating : LOADING STRENGTH : K 3
Type : FLOOR GULLY WITH SIDE INLET, TYPE II
Size : NOMINAL SIZE (DN/ID) : 82mm

End of page
